# GENERAL PURPOSE TEST EQUIPMENT
# for RENT and PURCHASE

| | |
|---|---|
| BER Testing 1-1400MB/s | 4 |
| Communications Signal Analyzers | 6 |
| Data Loggers | 6 |
| Digital Multimeters | 6 |
| Logic Analyzers | 6 |
| Logic Troubleshooting Tools | 7 |
| Modulation-Distortion Meters | 7 |
| Optical Scope Modules | 7 |
| Oscilloscopes | 8 |
| Power Monitors | 10 |
| Power Supplies | 10 |
| Pulse Generators | 11 |
| Recorders-Oscillographic | 11 |
| Scope Probes >=20GHz | 12 |
| Semiconductor Test Equipment | 12 |
| Word/Pattern/Arb Generators | 12 |

## When performance matters as much as the bottom line, customers trust us to deliver

**PAY A FRACTION OF THE LIST PRICE !**

Save up to 95% with our

# CERTIFIED PRE-OWNED TEST EQUIPMENT

We offer carefully selected instruments, including ex-rental units maintained throughout life and quality units sourced from the blue-chip companies whose test assets are well managed. Certified Pre-Owned is central to our mission to help you acquire, use, and dispose of test assets with maximum efficiency.

**Savings**   /   Up to 95% off list price

**High Availability**   /   Thousands of instruments ready to ship

**Quality**   /   Rigorous 23-point quality process

**Peace of Mind**   /   12 month warranty & extended terms available

**Speed**   /   Immediate shipping to over 150 countries

**High Standards**   /   Capability to calibrate to ANSI Z540 & ISO 17025 standards

Call us at **505.550.6501** and ask about our Finance, Rent-to-Buy, and Divide-by-12 programs, as well as our extended manufacturer service plan on select instruments.

**Visit sourceindustrialsupply.com to see a full list of Certified Pre-Owned equipment.**

# 23-STEP CERTIFICATION

**ELECTRICAL & FUNCTIONAL TESTS**

1. Verify voltage and fuse settings prior to switch-on.
2. Perform electrical safety test.
3. Perform self tests, verify all displays, LED's and lights are in good working order.

**PRODUCT & UNIT VALIDATION**

4. Physically verify all hardware and software options.
5. Check the Asset No. and Serial No. match in database system.

**REFURBISHMENT**

6. Validate firmware/software revisions & ensure virus-free operation.
7. Check and clear internal memory storage.
8. Remove all covers and panels to clean internal and external surfaces and remove redundant labels.
9. Check feet, handles, knobs, switches, fans & filters; replace if applicable.
10. Check memory/clock backup batteries and user serviceable batteries; replace if applicable.
11. Reassemble covers and repeat equipment self tests.

**CONFIGURE & CALIBRATE**

**CUSTOMIZE FOR DESTINATION**

12. Configure hardware and software options to match customer order requirements.
13. Verify current calibration data and calibrate to required standard, if applicable.
14. Produce calibration/verification certificate if applicable.
15. Run internal diagnostics for 24 hours after functional test & calibration
16. Affix tamper-proof integrity seals, calibration and electrical safety labels, if applicable.

**SEALING & PACKING**

**INVESTMENT PROTECTION**

17. Set correct voltage, fuse & supply power cord for destination country.
18. Set time, date & language for destination country if applicable.

19. Fit protective covers to external connectors/ports.
20. Prepare & supply all accessories as stated by manufacturer.
21. Pack securely with documentation for destination country.

## We're Here to Help!

505.550.6501
sourceindustrialsupply.com

22. Include 12-month warranty, where applicable, and add 10-day right of return.
23. Back equipment with customer support.

## BER Testing 1-1400MB/s

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Tektronix BA1600 | 1.6Gb BERT Pattern Generator and Error Detector | | | 76% |

## BER Testing 2G-12GB/s

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Anritsu MP1800A/1/2/14/32 | BERT Signal Quality Analyzer mainframe /1-GPIB Interface/ 2-LAN Remote Interface/14-2-Slot for PPG and or ED/32-32Gb PPG and/or ED supprt | | Please call or email | 57% |
| Anritsu MP1825B/02 | 4 Tap Digital Pre-Emphasis Processor/02-28Gbit/s Operation | | Please call or email | 55% |
| Anritsu MP1825B/02/04/06 | 4 Tap Digital Pre-Emphasis Processor/02-28Gbit/s Operation/04-28Gbit/s Variable Data DL/06-32.1 Gbit/s Ext | | Please call or email | 52% |
| Anritsu MU181000B/1 | 12.5GHz 4 Port Synthesizer/Jitter Modulation Module | | Please call or email | 59% |
| Anritsu MU181020A/2/12/21/30 | 12.5Gb/s Pulse Pattern Generator Module/0.1 to 12.5Gbit/s/.05-2.0 Vp-p Data Output/0.1-2.0 Vp-p Clock Output/Variable Data Delay | | Please call or email | 70% |
| Anritsu MU181040A/2/20/30 | 12.5Gb/s Error Detector Module/0.1 to 12.5Gbit/s/Clock Recovery/Variable Clock Delay | | Please call or email | 70% |
| Anritsu MU181500B | Jitter Modulation Source | | Please call or email | 69% |
| Anritsu MZ1834A | PAM4 Converter for an ANR-MP1800A | | Please call or email | 52% |
| Keysight (Agilent) M8020A/P21 | J-BERT High-Performance BERT/20ABU2-M9505A/U20 5 Slot Chassis/41A0G2-M8041A-0G2 2nd CH PatGen/41A0G5-M8041A-0G5 ISI/41AG08-M8041A-G08 8.5Gb 1CH Gen/51A0G2-M8051A-0G2 4th CH PatGen/51AG08-M8051A-G08 8.5Gb 3CH Gen | | Please call or email | 49% |
| Keysight (Agilent) M8020A/P7 | J-BERT High-Performance BERT/20ABU1-M9505A/M9536A MF/Controlr/41A0A2-M8041A-0A2 2nd CH Analyzr/41A0A3-M8041A-0A3 Analyzer Equal/41A0G2-M8041A-0G2 2nd CH PatGen/41A0G3-M8041A-0G3 Advance Jitter/41A0G4-M8041A-0G4 MultiTap Deemp/41A0G6-M8041A-0G6 Refrence Cl | | Please call or email | 50% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## BER TESTING 2G-12GB/s CONTINUED

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) M8061A/001/004/ 008/801 | Multiplexer 2:1 with De-emphasis 28 Gb/s/001-Multiplexer 2:1, 28 Gb/s/004-4-tap De-emphasis/008-Extension to 8-tap De-ems/801-N4903B J-BERT Cable Kit | Please call or email | | 81% |
| Keysight (Agilent) N4876A-001 | Multiplexer 28Gb/s 2:1 | Please call or email | | 82% |
| Keysight (Agilent) N4877A/232 | Clock Data Recovery & Demultiplexer/232-Maximum Bit Rate 32 Gb/s | Please call or email | | 70% |
| Keysight (Agilent) N4880A | Reference Clock Multiplier | Please call or email | | 82% |
| Keysight (Agilent) N4903B-C13/P17 | 150Mb/s to 12.5Gb/s High Performance Serial JBert BERT/002-PRBS on Aux Data Output/A02-SER FER Analysis/ J10-Jitter Injection/J11-Spread Spectrum Clocking/J20-Interference Channel | Please call or email | | 89% |
| Keysight (Agilent) N4903B-C13/P3 | 150Mb/s to 12.5Gb/s High Performance Serial JBert BERT/002-PRBS on Aux Data Output/003-1/2 Rate Clock Duty Distortion/A01-Bit Recovery Mode/A02-SER FER Analysis/J10-Jitter Injection/J11-Spread Spectrum Clocking/J12-Jitter Compliance Suite/J20-Interference | Please call or email | | 90% |
| Keysight (Agilent) N4916B/001 | 4-Tap De-Emphasis Signal Converter/001-Clock Doubler | Please call or email | | 88% |
| Keysight (Agilent) N4951A/P32 | Pattern Generator Remote Head/P32-32Gb/s | Please call or email | | 59% |
| Keysight (Agilent) N4951B/H32 | Pattern Generator Remote Head/H32-32Gbs High Amplitude | Please call or email | | 80% |
| Keysight (Agilent) N4952A/E32 | Error Detector Remote Head/E32-32Gb/s Error Detector | Please call or email | | 80% |
| Keysight (Agilent) N4960A-CJ1 | Serial BERT Controller with Jitter Injection | Please call or email | | 60% |
| Tektronix BSA85C/STR | BERTScope 8.5 Gb/s Bit Error Ratio Analyzer/STR-Stress Signal Generation | Please call or email | | 86% |
| Tektronix CR286A | 28.6 Gb/s Clock Recovery Instrument | Please call or email | | 70% |
| Tektronix DPP125B/4T | 12.5Gb 3 Tap Digital Pre-Emphasis Processor/4T-4 Tap Version | Please call or email | | 91% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## COMMUNICATIONS SIGNAL ANALYZERS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) 54754A | 2CH 18GHz Differential TDR Module | | Please call or email | 75% |
| Keysight (Agilent) 86112A | 20GHz 2CH Electrical Module | | Please call or email | 84% |
| Keysight (Agilent) N1045A/04F/1MC | 60 GHz 2/4 Port Electrical Remote Sampling Head/04F-4Ch remote 1.85mm F/1MC-N1027A-1MC Storage Case | | Please call or email | 49% |
| Keysight (Agilent) N1045A/04F/LOJ | 60 GHz 2/4 Port Electrical Remote Sampling Head/04F-4Ch remote 1.85mm F/LOJ-Ultra Low Jitter Performance | | Please call or email | 50% |

## DATA LOGGERS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) M9018A/SB3 | PXIe Chassis, 18-Slot, 3U, 8GB/s/SB3-Qty 3 Y1212A | | Please call or email | 36% |
| Keysight (Agilent) M9037A/M16/WE6/ Y1206A | PXIe Embedded Controller: Intel i7, 4 GB RAM, 240 GB SSD/M16-Memory, 16GB/WE6-Windows 7, 64 Bit/Y1206A-Keyboard, Mouse | | Please call or email | 51% |

## DIGITAL MULTIMETERS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) 34401A | 6 1/2 Digit Multimeter | | Please call or email | 44% |

Please call or email

## LOGIC ANALYZER MAINFRAME

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| National Instruments PXI-1033 | 5-Slot PXI Chassis w/ MXI Express Controller | | Please call or email | 56% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## LOGIC ANALYZER PORTABLE

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) 16804A/103/16M | 136CH 250MHz State/4GHz Timing Portable Logic Analyzer/103-Touch Screen/16M-16MB Ch Memory | | Please call or email | 70% |
| Keysight (Agilent) 16851A/016 | 34-Channel Portable Logic Analyzer with 2.5 GHz Timing in Deep Memory/016-Incr. memory depth 16Mb | | Please call or email | 62% |
| Keysight (Agilent) 16852A/128 | 68-Channel Portable Logic Analyzer with 2.5 GHz Timing in Deep Memory/128-Incr. memory depth 128Mb | | Please call or email | 62% |

## LOGIC TROUBLESHOOTING TOOLS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) U4321A/A08 | Slot Interposer 3.0 PCIE 8Gbps/A08-x8 lane | | Please call or email | 74% |
| Keysight (Agilent) U4324A | 4CH Probe for PCIE 8Gbps | | Please call or email | 50% |

## MODULATION-DISTORTION METERS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) U4321A/A08 | Slot Interposer 3.0 PCIE 8Gbps/A08-x8 lane | | Please call or email | 74% |

## OPTICAL SCOPE MODULES

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) 86105D | 20GHz Optical/35GHz Electrical Module | | Please call or email | 72% |
| Keysight (Agilent) 86105D/281/RRR | 20GHz Optical/35GHz Electrical Module/281-34GHz optical/50GHz elec/RRR-Reference Receiver Data | | Please call or email | 52% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## OSCILLOSCOPES <1GHz

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|--------|-------------|------------|------|---------|
| Keysight (Agilent) DSOX4054A/BND | 500MHz 4CH Digital Storage Oscilloscope/BND-Option Bundle | | Please call or email | 39% |
| Tektronix DPO3034 | 300MHz 4CH Digital Phosphor Scope | | Please call or email | 42% |
| Tektronix DPO3054 | 500MHz 4CH Digital Phosphor Scope | | Please call or email | 44% |

## OSCILLOSCOPES >=20GHz

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|--------|-------------|------------|------|---------|
| Keysight (Agilent) MSOX93204A/P3 | 33GHz 4 + 16CH Mixed Signal Oscilloscope/801-Removable Hard Drive/805-GPIB Interface/808-Performance Verify Fixtre/81-USB 3.1 10G + 5G Software/DSA-Digital Signal Analysis | | Please call or email | 68% |
| Tektronix DSA72004C/STU | 20GHz 4CH Digital Serial Analyzer/STU-Serial Protocol Trigger | | Please call or email | 65% |
| Tektronix DSA72504D | 25GHz 4CH Digital Serial Analyzer | | Please call or email | 65% |
| Tektronix MSO72004C/ DDRA/VET | 20GHz 4 + 16CH Mixed Signal Oscilloscope/DDRA-DDR Memory Bus Software/VET-Visual Trigger & Search | | Please call or email | 50% |

## OSCILLOSCOPES >3GHz-<8GHz

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|--------|-------------|------------|------|---------|
| Keysight (Agilent) DSOS404A | 4GHz 4CH High-Definition Oscilloscope | | Please call or email | 42% |
| Keysight (Agilent) MSO9404A/50M/W7 | 4GHz 4 + 16CH Mixed Signal Oscilloscope/50M-50Mpts per CH memory/W7-Win7 OS | | Please call or email | 49% |
| Keysight (Agilent) MSOS104A | 1GHz 4 + 16CH Mixed Signal Oscilloscope | | Please call or email | 36% |
| Lecroy SDA760ZIA | 6Ghz 4CH Serial Data Analyzer | | Please call or email | 75% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## OSCILLOSCOPES >3GHz-<8GHz CONTINUED

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Rohde & Schwarz RTO1044/B1/K1/K17 | 4GHz 4CH Digital Scope/B1-MSO upgrade/K1-I2C/SPI serial decod SW/K17-HD vertical res 16BIT | | Please call or email | 59% |
| Tektronix DPO7354C | 3.5GHz 4CH Digital Phosphor Scope | | Please call or email | 40% |

## OSCILLOSCOPES 1-3GHz

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) MSO6104A/8MH/N5406A | 1GHz 4 + 16CH Mixed Signal Oscilloscope/8MH-8 Mpts memory/N5406A-Series 6000 FPGA Dynamicx | | Please call or email | 80% |
| Keysight (Agilent) MSO7104B | 1GHz 4 + 16CH Mixed Signal Oscilloscope | | Please call or email | 71% |
| Keysight (Agilent) MSO9104A/801 | 1GHz 4 + 16CH Mixed Signal Oscilloscope/801-Removable Hard Drive | | Please call or email | 53% |
| Tektronix DPO7054/JA3/DELOP | 500MHz 4CH Digital Phosphor Scope/JA3-Advanced Jitter/DELOP-Delete Option | | Please call or email | 74% |
| Tektronix DPO7254C/10RL/DJA | 2.5GHz 4CH Digital Phosphor Scope/10RL-500M memory 125M/CH/DJA-Jitter Eye Analysis | | Please call or email | 41% |
| Tektronix MSO5104 | 1GHz 4CH Mixed Signal Scope | | Please call or email | 55% |

## OSCILLOSCOPES 8GHz - <20GHz

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) DSA91304A/805/W7 | 13GHz 4CH Digital Serial Analyzer/805-GPIB card/W7-Win7 OS | | Please call or email | 71% |
| Keysight (Agilent) DSAX91304A/P1/805 | 13GHz 4CH Digital Serial Analyzer/P1-009,029,038,N5459A/805-GPIB Card | | Please call or email | 60% |
| Keysight (Agilent) DSAX91604A | 16GHz 4CH Digital Serial Analyzer | | Please call or email | 70% |
| Keysight (Agilent) MSOX91604A/P1 | 16GHz 4 + 16CH Mixed Signal Oscilloscope/801-Removable Hard Drive/805-GPIB Interface/DSA-Digital Signal Analysis/820-Digital Video Disk R/W/XP-Windows XP | | Please call or email | 70% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## OSCILLOSCOPES 8GHz - <20GHz CONTINUED

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Tektronix DSA70804C | 8GHz 4CH Digital Serial Analyzer | | Please call or email | 58% |
| Tektronix MSO71254C/DSAU/W7 | 12.5GHz 4 + 16CH Mixed Signal Oscilloscope/DSAU-Digital signal analysis/W7-Win7 OS | | Please call or email | 60% |
| Tektronix MSO71604C | 16GHz 4 + 16CH Mixed Signal Oscilloscope | | Please call or email | 62% |

## POWER MONITORS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Dranetz PX5-400/4GB/CALEM/CASE | PowerXplorer 400Hz Power Analyzer Mainframe/4GB-4GB Compact Flash Memory/CALEM-4ea CA4300LEM Adaptors/CASE-Soft Carry Case | | Please call or email | 70% |
| Fluke 1735 | 3 Phase Power Logger | | Please call or email | 42% |
| Hioki USA 3169 | Power Demand Analyzer | | Please call or email | 68% |
| Hioki USA 3196 | Power Quality Analyzer | | Please call or email | 74% |

## POWER SUPPLIES-AC

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Elgar SW10500-1-3-2 | 10.5kVA 1/3PH Smartwave System | | Please call or email | 76% |
| Elgar SW5550A/1-3-2 | 5550VA 1/3PH AC Power Supply / Standard Test & Meas Opt | | Please call or email | 46% |

## POWER SUPPLIES-DC <50V

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keithley 2304A | High Speed Power Supply with Readback 20V 5A 100W | | Please call or email | 74% |
| Keysight (Agilent) E3640A | 8V 3A, 20V 1.5A, 30W DC Power Supply | | Please call or email | 40% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## POWER SUPPLIES-DC POWER MODULE

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) N6743B | 20V 5A 100W DC Power Module | | Please call or email | 36% |

## PULSE GENERATORS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Berkley Nucleonics 575-8C-COM/6923 | Digital Delay / Pulse Generator/6923-Rackmount | | Please call or email | 59% |

## RECORDERS-OSCILLOGRAPHIC

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| AstroNova (Astro-Med) DASH18X | 18CH Data Acquisition Recorder | | Please call or email | 84% |
| AstroNova (Astro-Med) TMX-18/PELI/IR/W7 | 18CH High Speed Data Acquisition Recorder/PELI-Peli 1660 case/IR-IRIG Upgrade/W7- | | Please call or email | 43% |
| Dewetron 311-16/200 | Portable data acquisition platform, 16 analog channels (expandable to 32)/200-200KS/s per CH, 24bit res | | Please call or email | 55% |
| Yokogawa DL850E-P1 | ScopeCorder | | Please call or email | 42% |

## SCOPE PROBES >=20GHz

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) N2807A | PrecisionProbe Advanced Kit | | Please call or email | 68% |
| Tektronix P7520 | 20GHz Trimode Differential Probe | | Please call or email | 66% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## SCOPE PROBES 8GHz-<20GHz

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) N2800A | 16 GHz InfiniiMax III Probe Amplifier | | Please call or email | 51% |
| Tektronix P7313 | 12.5Ghz Differential Probe | | Please call or email | 73% |
| Tektronix P7516 | 16GHz Trimode Differential Probe | | Please call or email | 62% |

## SEMICONDUCTOR TEST EQUIPMENT

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keithley 2420 | 60V,3A,60W Digital Source Meter | | Please call or email | 57% |

## WORD/PATTERN/ARB GENERATORS

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| Keysight (Agilent) 81110A/12/12 | 330/165 MHz Pulse/Pattern Generator Mainframe/81112A Output Module 330MHz/81112A Output Module 330MHz | | Please call or email | 81% |
| Keysight (Agilent) 81130A/32 | 400/660 MHz Pulse/Data Generator Mainframe/81132A Output Module | | Please call or email | 79% |
| Keysight (Agilent) 81180B-264/F4G2 | 4.6GSa/s Arbitrary Waveform Generator/F4G2-Filter Set (4Gsa/s) 2each | | Please call or email | 41% |
| Keysight (Agilent) M8190A-B02/12G/AMP/DUC/SEQ | 8GSa/s 2CH 2GSa Memory CH Arbitrary Waveform Generator/12G-12GSa/s, 12bit Resolution/AMP-Additional AC and DC Amps/DUC-Digital Upconver License/SEQ-Sequencer | | Please call or email | 40% |
| Keysight (Agilent) M8192A | Multi-Channel Synchronization Module | | Please call or email | 39% |
| Keysight (Agilent) N2806A | Calibration Pulse Generator | | Please call or email | 48% |
| Keysight (Agilent) N8241A/16/125 | 15 bit Arbitrary Waveform Generator LXI Module/16-16 M Sample Memory/125-1.25Gsa per sec samples | | Please call or email | 85% |
| National Instruments PXI-5122 | 100MS/s 2CH 14-Bit Digitizer | | Please call or email | 81% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.

## WORD/PATTERN/ARB GENERATORS CONTINUED

| MODEL* | DESCRIPTION | LIST PRICE | SALE | SAVINGS |
|---|---|---|---|---|
| National Instruments PXI-5124 | 200MS/s 2CH 12-Bit High-Resolution Digitizer | Please call or email | | 76% |
| National Instruments PXI-5421 | 100 MS/s Arbitrary Waveform Generator | Please call or email | | 79% |
| Tektronix AWG70002A-225/01 | 25GS/s 2CH 2GS Memory Arbitrary Waveform Generator/01-16Gpt Waveform Memory | Please call or email | | 60% |
| Tektronix AWG7082C/1/6/8 | 8GS/s 2CH Arbitrary Waveform Generator/1-64M Waveform Length/6-16GS/s Interleave/8-Fast Sequence Switching | Please call or email | | 89% |

* Subject to availability. Additional configuration available upon request. Please call for specific rental rates.