

RADIO FREQUENCY RF TEST EQUIPMENT for RENT and PURCHASE

When performance matters as much as the bottom line, customers trust us to deliver

Amplifiers-RFM	4
Generators 1-17.9GHz	4
Meters-RF & Microwave	5
Meters-Sensors/Accy	5
Network Analyzers/Test Sets	5
Noise Figure Meters	8
Noise Generators	9
Phase Noise Testing	9
RFI/EMI Analyzers	9
Spectrum Analyzers/Accessories	9
Vector Signal Analyzers	13
Vector Signal Generators	13



PAY A FRACTION OF THE LIST PRICE!



Save up to 95% with our

CERTIFIED PRE-OWNED TEST EQUIPMENT

We offer carefully selected instruments, including ex-rental units maintained throughout life by qualified technicians and quality units sourced from the blue-chip companies whose test assets we manage. Certified Pre-Owned is central to our mission to help you acquire, use, and dispose of test assets with maximum efficiency.

Savings / Up to 95% off list price

High Availability / Thousands of instruments ready to ship

Quality / Rigorous 23-point quality process

Peace of Mind / 12 month warranty & extended terms available

Speed / Immediate shipping to over 150 countries

High Standards / Capability to calibrate to ANSI Z540 & ISO 17025 standards

Call us at **505.550.6501** and ask about our Finance, Rent-to-Buy, and Divide-by-12 programs, as well as our extended manufacturer service plan on select instruments.





23-STEP CERTIFICATION

Verify voltage and fuse settings prior to switch-on.

2 Perform electrical safety test.

Perform self tests, verify all displays, LED's and lights are in good working order.

4 Physically verify all hardware and software options.

5 Check the Asset No. and Serial No. match in Electro Rent system.

6 Validate firmware/software revisions & ensure virus-free operation.

7 Check and clear internal memory storage.

Remove all covers and panels to clean internal and external surfaces and remove redundant labels.

9 Check feet, handles, knobs, switches, fans & filters; replace if applicable.

Check memory/clock backup batteries and user serviceable batteries; replace if applicable.

11 Reassemble covers and repeat equipment self tests.

Configure hardware and software options to match customer order requirements.

Verify current calibration data and calibrate to required standard, if applicable.

14 Produce calibration/verification certificate if applicable.

Run internal diagnostics for 24 hours after functional test & calibration

Affix tamper-proof integrity seals, calibration and electrical safety labels, if applicable.

17 Set correct voltage, fuse & supply power cord for destination country.

18 Set time, date & language for destination country if applicable.

Fit protective covers to external connectors/ports.

20 Prepare & supply all accessories as stated by manufacturer.

21 Pack securely with documentation for destination country.

We're Here to Help!

505.550.6501 sourceindustrialsupply.com

22 Include 12-month warranty, where applicable, and add 10-day right of return.

23 Back equipment with qualified customer support.

REFURBISHMENT

ELECTRICAL & FUNCTIONAL TESTS

PRODUCT & UNIT VALIDATION

CONFIGURE & CALIBRATE

CUSTOMIZE FOR DESTINATION

SEALING & PACKING

INVESTMENT PROTECTION



AMPLIFIERS-RFM

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Ophir RF 5067/FE	20MHz-1GHz, 300W Rated Power Amplifier/FE-Control option, Front panel	Please ca	ll or email	50%
Keysight (Agilent) 83020A	2GHz-26.5GHz RF Amplifier	Please call or email		76%
Gigatronics GT1050A	2GHz-50GHz Microwave power amplifier	Please ca	ll or email	70%

GENERATORS 1-17.9GHz

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Rohde & Schwarz SMA100A-6/B106E/ B22V2/B29	9kHz-6GHz Signal Generator with electronic attenuator/ B106E-Full electronic attenuatr/B22V2-Enhanced phase noise per/B29-Clock Synthesizer	Please call or email		45%
Keysight (Agilent) N5181A-506/99/1EA/UNT	100kHz-6GHz MXG Analog Signal Generator/99-Expanded license key upg/1EA-High output power/UNT-Analog modulation (AM,FM,)	Please ca	ll or email	55%
Keysight (Agilent) N5181A-506/MOD	100kHz-6GHz MXG Analog Signal Generator/UNT-Analog modulation (AM,FM,PM)/UNU-Pulse modulation	Please ca	ll or email	55%
Keysight (Agilent) N5181B-506/1EA/99/ UNT/UNY	9kHz-6GHz MXG Analog Signal Generator/1EA-High output power/99-Expanded license key upgy/UNT-AM, FM, phase modulation/UNY-Enhanced Low Phase Noise	Please call or email		41%
Rohde & Schwarz SGS100A-12/B26/K90	80MHz-12.75GHz CW Signal Generator/B26-Electronic step attenuator/K90-Phase coherent IO	Please call or email		61%
Keysight (Agilent) E4428C-503/UNB	250kHz-3GHz ESG Analog Signal Generator/UNB-High output pwr w/ mech attenuator	Please ca	ll or email	80%
Keysight (Agilent) N5181A-506/99	100kHz-6GHz MXG Analog Signal Generator/99-Expanded license key upgrade	Please call or email		55%
Aeroflex (IFR/Marconi) 2026B/1/4	2.51GHz RF Signal Generator/1-Add 3rd internal source/ 4-Rear Panel connections	Please call or email		70%
Keysight (Agilent) N5181A-503/99/1EQ/ MOD/UNZ	100kHz-3GHz MXG Analog Signal Generator/99-Expanded license key upgr/1EQ-Low power <-110dBm/UNT-Analog modulation (AM,FM,/UNU-Pulse modulation/UNZ-Fast switching	Please call or email		55%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



GENERATORS 1-17.9GHz CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) E4428C-503	250kHz-3GHz ESG Analog Signal Generator	Please call or email		80%
Keysight (Agilent) 8648D	9kHz-4GHz RF Signal Generator	Please call or email		85%

Meters-RF & Microwave

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) E4419B/6/908	100kHz-110GHz 2CH Power Meter/6-Parallel front and rear /908-Rack Mount	Please ca	ll or email	73%
Keysight (Agilent) 438A	100kHz-110GHz 2CH Digital RF Power Meter	Please call or email		91%
Keysight (Agilent) 438A/2	100kHz-110GHz 2CH Digital RF Power Meter/2-Front and Rear Input	Please call or email		91%

METERS-SENSORS/ACCY

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Rohde & Schwarz NRP-Z11	10MHz-8GHz, 200pW-200mW Average Power Sensor	Please call or email		50%
Keysight (Agilent) 8481H	10MHz-18GHz 3W Power Sensor	Please call or email		56%
Keysight (Agilent) 85024A	High Frequency Active Probe	Please call or email		53%
Rohde & Schwarz NRP-Z21	10MHz-18GHz Average power sensor	Please call or email		49%

NETWORK ANALYZER TEST SETS

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Network Analyzer Test Sets	10MHz-18GHz Average power sensor	Please ca	ll or email	49%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



NETWORK ANALYZER TEST SETS CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N5260A	Millimeter-Wave Controller	Please ca	Please call or email	
Anritsu MN4697C	4-Port test set, V connectors	Please ca	Please call or email	
Anritsu MN4694C	4-Port test set, K connectors	Please ca	Please call or email	
Keysight (Agilent) N4421B	10MHz-50GHz S-Parameter Test Set	Please ca	ll or email	75%

NETWORK ANALYZERS < 20GHz

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Rohde & Schwarz ZVA8-4/B4/B16/GA3/K4/ K7/K9	300kHz-8GHz 4-Port Vector network analyzer/B4-OCXO/B16-Direct receiver access/B21-Generator attenuator pt 1/B22-Generator attenuator pt 2/B23-Generator attenuator pt 3/K4-Frequency converting meas/K7-Pulsed signal measurement/K9-Group delay on freq conver	Please call or email		49%
Keysight (Agilent) E5071C-440/10/17/1E5/ WXP	9kHz-4.5GHz 4-Port ENA RF Network Analyzer/10-Time domain analysis/17-Removable hard disk drive/1E5-High stability timebase/WXP-Windows XP	Please call or email		57%
Keysight (Agilent) N5221A-200/80/82/WXP	10MHz-13.5GHz 2-Port PNA Microwave Network Analyzer single source, base hardware configuration/80-Frequency offset/82-Scalar cal converter sw/WXP-Windows XP OS	Please call or email		44%
Keysight (Agilent) 8753E/10/75	30kHz-3GHz Vector Network Analyzer/10-Time Domain Measurements/75-75ohm Operation	Please call or email		78%

NETWORK ANALYZERS >=20GHZ

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N5247A-400/HW1/PL1/ SW6/W7X	10MHz-67GHz 4-Port PNA-X Microwave Network Analyzer dual source/419-Ext pwr range and bias te/423-Combiner & mech switches/80-Frequency offset measures/21-Pulse modulator 1st sourc/25-4 internal pulse generatr/8-Pulsed-RF measurements/10-Time-domain measu	Please ca	ll or email	46%
Keysight (Agilent) N5244ASH85-400/HW1/ SW1/WXP	10MHz-43.5GHz 4-Port High power PNA-X Microwave Network Analyzer/423-Int combiner and mech sw/ H29-Fully-corrected noise fig/84-Embedded LO measure- ments/86-Gain compression measures/87-Intermodulation distorti/82-Scalar calibrated convers/WXP-Windows XP OS	Please call or email		46%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



NETWORK ANALYZERS >= 20GHZ CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N5244A-400/302/HW4/ SW8/WXP	10MHz-43.5GHz 4-Port PNA-X Microwave Network Analyzer/302-App for temp-comp CalPods/28-Noise figure measurments/419-Extended pwr and bias tee/423-Combiner and mechanical s/10-Time-domain measurements/80-Frequency offset measurem/83-Vector and scalar measu	Please call or email		46%
Keysight (Agilent) N5222A-200/WXP	10MHz-26.5GHz 2-Port PNA Microwave Network Analyzer single source, base hardware configuration/WXP-Windows XP OS	Please ca	ll or email	47%
Anritsu MS4647B/P1	10MHz-70GHz VectorStar Vector network analyzer 2-port/2- Time domain/31-Dual Source/32-Internal Combiner/35-IF Digitizer/41-Noise Figure/42-PulseView/43-DifferentialView Software/44-IMD View/62-Active measurements suite/7-Re- ceiver offset/85-Millimeter Wave	Please ca	ll or email	47%
Keysight (Agilent) N5245ASH85-2/10/83/ 86/224	10MHz-50GHz 2-Port High power PNA-X Microwave Network Analyzer/10-Time-domain measurements/83-Vec- tor and scalar calibration/86-Gain compression applica- tion/224-2nd Source,combiner,mechanical switches	Please ca	ll or email	46%
Keysight (Agilent) N5224A-417/10/302/ SW1/WXP	10MHz-43.5GHz 4-Port PNA Microwave Network Analyzer dual source, with extended power range/10-Time Domain/302-CalPod application temp c/80-Frequency offset/82-Scalar cal converter sw/86-Gain compression app/88-Source phase control/WXP-Windows XP OS	Please ca	ll or email	44%
Keysight (Agilent) N5222A-419/SW2/W7X	10MHz-26.5GHz 4-Port PNA Microwave Network Analyzer dual source, with extended power range and bias-tees/28- Noise figure std rcvrs/80-Frequency offset/83-Vector & scalar cal conv/84-Embedded LO measurements/86-Gain compression app/87-Intermod distortion s	Please call or email		44%
Anritsu 37397D/1A/2A	40MHz-65GHz Vector Network Analyzer System/1A-Rack- mount with handles/2A-Time domain	Please ca	ll or email	45%
Keysight (Agilent) N5245A-400/1CP/80	10MHz-50GHz 4-Port PNA-X Microwave Network Analyzer dual source/1CP-Rack mount kit/80-Frequency offset measures	Please ca	ll or email	46%
Keysight (Agilent) N5222A-201/8/10/21/25/ WXP	10MHz-26.5GHz 2-Port PNA Microwave Network Analyzer single source, with configurable test set/8-Pulsed RF Measurements/10-Time Domain/21-Pulse mod int 1st source/25-4 Internal pulse gen/WXP-Windows XP OS	Please ca	ll or email	44%
Rohde & Schwarz ZVA24-4/B16/GA2/K6/ K8/RA4	10MHz-24GHz Vector Network Analyzer 4-port/B16-Direct genr/recvr access/B21-Generator attenuator pt 1/B22-Generator attenuator pt 2/K6-4port differential measur/K8-Frequency converter contr/B31-Receiver attenuator port1/B32-Receiver attenuator port2/B33-R	Please ca	ll or email	42%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



NETWORK ANALYZERS >= 20GHZ CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Anritsu MS4644B/HW1/SW1	10MHz-40GHz VectorStar Vector network analyzer/31- Dual Source/32-Internal Combiner/35-IF Digitizer/7-Receiver Offset/70-70kHz low end freq exten/2-Time Domain/ 41-Noise Figure/42-PulseVIEW/43-DifferentialVIEW/44-IMD View/61-Active Measurement Suite	Please call or email		62%
Keysight (Agilent) E8364C/14	10MHz-50GHz PNA Vector Network Analyzer/14- Configurable Test Set	Please ca	all or email	43%
Keysight (Agilent) N5224A-200/W7X	10MHz-43.5GHz 2-Port PNA Microwave Network Analyzer single source, base hardware configuration/W7X- Windows 7 OS	Please ca	all or email	44%
Keysight (Agilent) N5230C-246/10/80/82	300kHz to 20GHz PNA-L Vector Network Analyzer, 4-port enhanced and internal/10-Time domain/80-Frequency offset mode/82-Scalar calibrated converter measurements	Please call or email		45%
Keysight (Agilent) 8757D	10MHz-110GHz Scalar Network Analyzer	Please call or email		65%
Keysight (Agilent) E8362C	10MHz-20GHz PNA Vector Network Analyzer	Please call or email		60%
Rohde & Schwarz ZVM/P5	10MHz-20GHz Vector Network Analyzer/B1604-Ethernet RJ-45/B21-Generator Port 1 Attenuat/B22-Generator Port 2 Attenuat/B23-Receiver Port 1 Attenuato/B24-Receiver Port 2 Attenuator/B4-Mixer Measurements/B5-Non-linear Measurements/B7-Power Calibration	Please call or email		83%
Keysight (Agilent) 8757D/2	10MHz-110GHz Scalar Network Analyzer/2-Internal Power Calibrator	Please ca	all or email	65%
Keysight (Agilent) 8757D/1	10MHz-110GHz Scalar Network Analyzer/Fourth Detector	Please ca	all or email	65%

NOISE FIGURE METERS

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N8973A/1D5	10MHz-3GHz Noise Figure Analyzer/1D5-High Stability Time Base	Please ca	65%	
Keysight (Agilent) R347B	26.5-44GHz Noise Source	Please call or email		58%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



NOISE GENERATORS

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Noise Com UFX7111	1GHz-2GHz Programmable Multi-purpose Noise Generator	Please call or email		60%
Noise Com UFX7108	100Hz-500MHz Programmable Multi-purpose Noise Generator	Please ca	ll or email	90%

PHASE NOISE TESTING

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Rohde & Schwarz FSUP50/P1	5 MHz-50 GHz Signal Source Analyzer for Phase Noise and VCO test/B10-External generator contr/B18-Removable hard disk/B21-L0/IF connections for mx/B25-Electronic attn/Preamp/B4-OCXO/B60-Low phase noise/B61-Cross correlation frequency ex	Please ca	ll or email	45%

RFI/EMI ANALYZERS

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) E7402A/STD	9kHz-3.0GHz EMC analyzer/STD-Standard 1D5/AYX/ UKB Bundle	Please call or email		55%
Rohde & Schwarz HE300	20MHz-7500MHz Active directional antenna	Please ca	ll or email	54%

SPECTRUM ANALYZERS ACCY

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) U7227C	100MHz-26.5GHz USB preamplifier	Please ca	ll or email	43%

SPECTRUM ANALYZERS-ECONOMY

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N9010A-507/B25/HW1/ WXP	10Hz-7.0GHz EXA Signal Analyzer/B25-25MHz Demod analysis bw/EA3-3.6GHz Electronic attenua/P03-3.6GHz Preamplifier/PFR-Precision frequency refer/WXP-Windows XP OS	Please ca	ll or email	49%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



SPECTRUM ANALYZERS-ECONOMY CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N9010A-507	9kHz-7.0GHz EXA Signal Analyzer	Please ca	50%	
Keysight (Agilent) N9000A-507/FSA/P07	9kHz-7.5GHz CXA Signal Analyzer/FSA-Fine resolution step attr/P07-7.5GHz Preamplifier	Please ca	46%	
Advantest U3751/20/28/74	9kHz-8GHz Spectrum Analyzer/20-High stability ref source/28-EMC filter/74-3GHz tracking generator	Please call or email		50%
Advantest U3771	9kHz-32GHz Spectrum Analyzer	Please call or email		72%

SPECTRUM ANALYZERS-HAND HELD

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Anritsu MS2726C	9kHz-43GHz Spectrum Master	Please ca	ll or email	50%
Keysight (Agilent) N9962A	9kHz-50GHz FieldFox Handheld Microwave Spectrum Analyzer	Please call or email		46%
Anritsu MS2724C/31	9kHz-20GHz Spectrum Master High Performance Handheld Spectrum Analyzer/31-GPS receiver require antenna	Please ca	ll or email	67%

SPECTRUM ANALYZERS-PERFORMANCE

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N9030A-550/P50/WXP	3Hz-50.0GHz PXA Signal Analyzer/P50-50.0GHz Preamplifier/WXP-Windows XP OS	Please ca	ll or email	41%
Tektronix RSA6120A/1/7/110/200/ SW1	9khz-20GHz Real Time spectrum Analyzer/1-3GHz internal preamp/7-DVD-RW/110-110MHz CAPTURE BW/200-En- hanced DPX and Trigger/11-Phase Noise and Jitter/12-Set- tling Time Measuremen/2-Freq mask trigger/20-Adv signal analysis/21-Gen purpose mod analysis/5-500 MH	Please ca	ll or email	50%
Tektronix RSA6114A/1/2/5/6/20/ 21/110	9kHz-14.0GHz Real-Time Spectrum Analyzer/1-Preamplifier/2-1GB Mem freq mask trigger/5-Digital IQ output and analysis/6-Removable hard drive/20-Advanced signal analysis/21-General purpose Modulation/110-110MHz Capture BW TEK RSA6114A-1/2/5/6/20/21/110	Please ca	ll or email	77%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



SPECTRUM ANALYZERS-PERFORMANCE CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Anritsu MS2830A/45/BW1/SW1	9kHz-43GHz Microwave Spectrum Analyzer/45-43GHz Signal Analyzer/6-Analysis Bandwidth 10MHz/67-Microw Preselect Bypass/68-Preamplifier 43 GHz/77-B/W Extension to 62 MHz/78-B/W Extension to 125 MHz/9-B/W Extension to 31 MHz/10-Phase Noise Measurement/16-Pre	Please call or email		50%
Keysight (Agilent) N9020A-526/P8/RTSA2/ W7X	10Hz-26.5GHz MXA Spectrum Analyzer/CR3-Wideband IF output/EDP-Enhanced display package/PFR-Precision frequency refer/B1X-160MHz Analysis bandwidth/MPB-Microwave preselector bys/P26-26.5GHz Preamplifier/RT2-160MHz Real time Spec A/W7X-Windows 7 OS	Please ca	ll or email	49%
Rohde & Schwarz FSU8	20Hz-8GHz Spectrum Analyzer	Please ca	ll or email	70%
Keysight (Agilent) M9393A-F14/P1	PXIe 9kHz-14GHz, Performance Vector Signal Analyzer Test Set/300-PXIe Freq Ref 10,100 MHz/B10-Analysis B/W 100 MHz/P14-Preamp 14 GHz/M05-Memory, 512 Msa	Please ca	ll or email	52%
Keysight (Agilent) M9393A-F27/300/B16/ M10/P27	PXIe Vector Signal Analyzer/300-PXIe Freq Ref 10, 100 MHz/B16-Analysis bandwidth 160MHz/M10-Memory, 1024 MSa/P27-27GHz Preamplifier	Please call or email		68%
Tektronix RSA5106A/52/ HW2/SW1	1Hz-6.2GHz Real Time Signal Analyzer 25MHz Acquisition BW/52-Frequency mask trigger/200-Adv triggers & swept DPX/53-4GB Memory expansion/56-Removable HDD/85- 85MHz Acquistion BW/11-Phaise noise/Jitter/12-Adv Signal Analysis/21-GP Modulation Analysis/22-Fle	Please call or email		62%
Rohde & Schwarz FSV30/ B5/B14/B70/K7/K14/K54	10Hz-30GHz Signal Anlyzer/B5-Additional interfaces/B14- Ultra High precision refe/B70-40MHz signal analysis bw/K7- Analog modulation analys/K14-Spectrogram measurement/ K54-EMI application	Please call or email		54%
Keysight (Agilent) E4440A/122/123/ 124/226/T1	3Hz-26.5GHz PSA Spectrum Analyzer/122-80MHz Bandwidth digitizer/123-Preselector Bypass/124-Y-axis Video Output/226-Phase noise measurement/1DS-Internal Preamplifier/211-TD-SCDMA measurement pers/212-TD- SCDMA Modulation analy/213-HSDPA 8PSK for TD-SCDMA m/	Please call or email		86%
Keysight (Agilent) E4440A/111/115/123/ 140/266	3Hz-26.5GHz PSA Spectrum Analyzer/111-USB device side I O intet/115-512MB User Memory/123-Preselector Bypass/140-40MHz Bandwidth Digitizer/266-Programming code compatib	Please call or email		84%
Keysight (Agilent) E4440A/122/123/ 124/1DS	3Hz-26.5GHz PSA Spectrum Analyzer/122-80MHz Bandwidth digitizer/123-Preselector Bypass/124-Y-axis Video Output/1DS-Internal Preamplifier	Please ca	ll or email	86%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



SPECTRUM ANALYZERS-PERFORMANCE CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Keysight (Agilent) N9020A-508/N9071T2/ P03/WXP	10Hz-8.4GHz MXA Spectrum Analyzer/ N9071T2-GSM,EDGE,Evo Transportabl/P03-3.6GHz Pream- plifier/WXP-Windows XP OS	Please ca	55%	
Keysight (Agilent) E4440A/AYZ/H70/T1	3Hz-26.5GHz PSA Spectrum Analyzer/AYZ-External Mixing/H70-70MHz output/1DS-Internal Preamplifier/211-TD-SCDMA measurement/212-TD-SCDMA Modulation analysis/213-HSDPA/8PSK for TD-SCDMA /B7J-Digital demodulation hardware	Please ca	86%	
Keysight (Agilent) 8564EC/1/5/6/8/EMI	9kHz-40GHz Spectrum Analyzer/1-Add Second IF output/5- Alternate sweep output/6-30GHz low end frequency/8- Signal ID/EMI-EMI 6dB BW in 100k/1MHz	Please ca	81%	
Rohde & Schwarz FSU8/1R/B18/K5	20Hz-8GHz Spectrum Analyzer/1R-Rack Mount ZZA- 411/B18-Removable Hard Disk/K5-GSM EDGE Mobile Measurements	Please call or email		70%
Keysight (Agilent) N9020A-503/B25/P03/ PFR	10Hz-3.6GHz MXA Spectrum Analyzer/B25-25MHz Analysis bandwidth/P03-3.6GHz Preamplifier/PFR-Precision frequency reference	Please call or email		53%
Keysight (Agilent) M9391A-F06/B16/M10/ UNZ	PXIe Vector Signal Analyzer 1MHz to 6GHz/B16-Analysis B/W 160 MHz/M10-Memory, 1024 MSa/UNZ-Fast Switching	Please call or email		68%
Rohde & Schwarz FSU8/ B16/K5	20Hz-8GHz Spectrum Analyzer/B16-100Base-T Interface/ K5-GSM EDGE Mobile Measureme	Please call or email		75%
Keysight (Agilent) 4396B	100kHz-1.8GHz Vector Network/Spectrum Analyzer	Please call or email		80%
Keysight (Agilent) 8564E	9kHz-40GHz Spectrum Analyzer	Please ca	85%	

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



VECTOR SIGNAL ANALYZERS

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Rohde & Schwarz FSQ8/K70/P4	20Hz-8GHz Signal Analyzer/K70-General Purpose Vector An/B10-External Generator Contro/B4-High Stability Time Base/K5-GSM/EDGE Mobile Measureme/K72-3GPP FDD Forward Link Cod/K73-3GPP FDD UE Transmitter T/K82- cdma2000 Base Station Tes/K91-WLAN 802.11A,B,G T	Please ca	ll or email	88%
Rohde & Schwarz FSQ8/K91/P1	20Hz-8GHz Signal Analyzer/K91-WLAN 802.11A,B,G TX Tests/B4-0CXO/B10-External generator control/B25- Electronic attenuator and Preamplifier/B71-Analogue base band inputs/K9-NRP power sensors measurements/K30- noise figure and gain measurements	Please call or email		90%

VECTOR SIGNAL GENERATORS

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Rohde & Schwarz SMW200A-3/Z1	100kHz-3GHz Vector Signal Generator/B10-Baseband gen & ARB 64Ms/B13T-BB Signal Routing, 2 path/B14-Fading simulator/B203-RF Path B/K16-Differential I/Q inputs/K18- Digital Baseband output/K42-3GPP FDD/K511-ARB memory ext to 512MS/K55-EUTRA/LTE/K62-AWGN/K69	Please call or email		56%
Rohde & Schwarz SMBV100A-3/K61/P1	9kHz-3.2GHz Vector Signal Generator/K61-Multi carrier CW signal/B10F-120MHz BBG for GNSS/B1H-OCXO high performance/B92-Hard disc/K101-GNSS extension for obscur/K102-GNSS extension for antenn/K103-GNSS extension for spinni/K44-GPS 6 Satellites/K511-ARB mem	Please call or email		53%
Rohde & Schwarz SMBV100A-3/P1	9kHz-3.2GHz Vector Signal Generator/B10F-120MHz BBG for GNSS/B1H-OCXO high performance/B92-Hard disc/K101-GNSS extension for obscur/K102-GNSS extension for antenn/K103-GNSS extension for spinni/K44-GPS 6 Satellites/K511-ARB memory extension/K522-160MHz RF	Please call or email		53%
Rohde & Schwarz SMBV100A-3/B1H/B51/ K255	9kHz-3.2GHz Vector Signal Generator/B1H-OCXO high performance/B51-Baseband gen arb only 60M/K255-	Please call or email		42%
Rohde & Schwarz SGT100A/K90/K254/K510	1MHz-3GHz Vector signal generator/K90-Phase coherent input outp/K254-IEEE 802.11 a/b/g/n/K510-ARB 32M sample 60MHz RF bandwidth	Please call or email		55%
Rohde & Schwarz SMW200A-3/B10/B13T/ K55	100kHz-3GHz Vector Signal Generator/B10-Baseband gen & ARB 64Ms/B13T-BB Signal Routing, 2 path/K55-EUTRA/LTE	Please call or email		42%

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.



VECTOR SIGNAL GENERATORS CONTINUED

MODEL*	DESCRIPTION	LIST PRICE	SALE	SAVINGS
Rohde & Schwarz SGT100A/K510/K511/ K512	1MHz-3GHz Vector signal generator/K510-ARB 32Msample 60MHz RF/K511-256Msample ARB memory ext/K512- 1Gsample ARB memory extension	Please call or email		54%
Keysight (Agilent) E4438C-506/5/602/UN7	250kHz-6GHz ESG Vector Signal Generator/5-6GB Hard Drive/602-Baseband Generator 64MSam/UN7-Internal BER Analyzer	Please call or email		75%
Rohde & Schwarz SM- J100A-3/B10/B13/K44/ K55	100kHz-3GHz Vector signal generator/B10-64Msample baseband gen/B13-Baseband main module/K44-GPS Digital standard/K55-LTE/EUTRA digital standar	Please call or email		70%
Keysight (Agilent) E4438C-503/5/403/G1	250kHz-3GHz ESG Vector Signal Generator/5-6GB Hard Drive/403-Calibrated Noise Personalality/300-GSM/ EDGE Base Station BER/401-IS-95A/CDMA2000 test personality/402-TDMA personality/601-Baseband Generator 8MSample/UN7-Internal BER Analyzer	Please call or email		82%
Rohde & Schwarz SMU200A-3/B14/B17/C1/ G1/K42	100kHz-3GHz Vector Signal Generator/B14-Fading Simulator/B17-Analog/digital baseband/K14-Dig. Std. TD- SCDMA/K42-Dig. Std. 3GPP FDD/K62-Add white gaussian noise/B31-High power output for RF1/B36-High power output for RF2/B203-100kHz-3GHz 2nd RF path/K40-Di	Please call or email		94%
Keysight (Agilent) E4438C-503/5/602/ N7620A/P1	250kHz-3GHz ESG Vector Signal Generator/5-6GB Hard Drive/602-Baseband Generator 64MSam/N7620A- N7620A-101 Pulse building/403-Calibrated Noise Personal/409-GPS Personality	Please call or email		90%

ELECTROOICASRENT 14

^{*} Subject to availability. Additional configuration available upon request. Please call for specific rental rates.